

CHARGEURS PCC

FASHION TECHNOLOGIES

LADIESWEAR · MENSWEAR · KIDSWEAR · PERFORMANCE · ECO-SOLUTIONS

4335/23

| | |
|-----------------------------|--|
| CONSTRUCTION | Top Satin |
| COMPOSITION | 100.0 % Polyester |
| COATING | Polyamide - 23 mesh |
| WEIGHT | 63.0 gr/m ² |
| WIDTH | 150 cms |
| COLOURS | Natural , Black , White , Stormy Sky , Slate |
| APPLICATION | |
| WOMENS AND MENS WEAR | Reinforcement |

CARE INSTRUCTIONS



Washing



Chlorine



Ironing



Dry cleaning



Drying



Wet
Cleaning

| | Fusing Conditions | |
|--------------------------|-------------------|-----------|
| | | |
| Glueline temperature | 121/127 C | 121/127 C |
| Pressure | 200/400 gr/cm | 2/4 bar |
| Time | 12/15 s | 12/15 s |

In view of the wide variety of existing fabrics and other materials used by the clothing industry, Lainière de Picardie recommends that before industrial use, complete tests are carried out with the fabrics and other materials to be used, and on the machines that will be used. Lainière de Picardie guarantees, explicitly limited to the replacement of any of its products recognised to be defective, to the exclusion of all other compensation or damages.



Class I



AMERICAS · EUROPE · MIDDLE EAST · AFRICA · ASIA PACIFIC

www.chargeurs-pcc.com